

CONTENTS OF ACTA CLIMATOLOGICA (1959-2009)

TOMUS I. (1959)

- Wagner R: Angaben zum Mikroklima der Reisfelder in Kopáncs. 3-27
- Horváth I: The effect of deep and surface manuring on the temperature and water content of sand soils. 29-43
- Andó M: Die Einwirkung der Donau und der Oberflächenformen auf die mikroklimatischen Verhältnisse des Uferrandes bei Alsógöd. 45-53
- Kiss Á: Angaben zur Erwärmtheit einer Sanddüne. 55-72
- Wagner R: Angaben zum Mikroklima von drei Werkstätten in Szeged. 73-90

TOMUS II-III. (1963)

- Horváth I, Précseyi I, Fehér VI: Verwendung mathematisch-statistischer Methoden in der Abgrenzung von Mikroklimaräumen. 3-12
- Szabó Gy: Angaben zum Mikroklima der Höhlen bei Lillafüred. 13-31
- Boros J: Angaben zum Mikroklima des Gebiets „Forrás“ von Pótharaszt. 33-47
- Wagner R: Der Tagesgang der Lufttemperatur einer Doline im Bükk-Gebirge. 49-79

TOMUS IV-V. (1965)

- Wagner R: Die Temperatur des Bodens, des Wassers und der Luft in Koppánchs. I. Teil. 3-81
- Horváth I, Fehér VI: The lesser maximum of evening temperature. 83-91

TOMUS VI. (1966)

- Wagner R: Die Temperatur des Bodens, des Wassers und der Luft in Koppánchs. II. Teil. 3-51
- Boros J: Temperaturverhältnisse auf Bergwiese und in Tannenwaldbestand an sonnigen Sommertagen. 53-72

TOMUS VII. (1967)

Wagner R, Takács L: Vertikale Temperaturschichtung im Boden und ein mathematisches Modell derselben. 3-49

Bodrogközy Gy, Horváth I, Tassy O: Microclimate examinations in the autumn aspect of Cynodonti-Poëtum angustifoliae (Rapaics 26) Soó 57 of the Maros dam. 51-66

Kiss Á: Nomographische Methoden mit Verwendung der transversalen azimutalen Projektionen des sphärischen Koordinatennetzes zur Berechnung der Sonnenhöhen über beliebig geneigten Ebenen. 67-83

Bárány I: Der Einfluss des Niveaunterschiedes und der Exposition auf die Lufttemperatur in einer Doline im Bükk-Gebirge. 85-109

TOMUS VIII. (1969)

Béll B: Die Bedeutung des advektiven Wärmetransportes in der Energiebilanz des Luftraumes der Karpatenbeckens. 3-31

Wagner R: Tagesgänge der Temperatur an Bergwiesen und in Wäldern. 33-66

Obrebska-Starkel B: Some results of investigations of meso and microclimatic conditions in small mountain drainage areas in the Beskides (Polish West Carpathians). 67-81

Boros J: Angaben zur Untersuchung von lokalen Talklimas. 83-95

Juhász J: Soil temperature studies in Pótharaszt. 97-109

TOMUS IX. (1970)

Novák Á: Data for the history meteorological researches in Szeged. 3-21

Wagner R: Kalte Luftseen in den Dolinen. 23-32

Obrebska-Starkel B: Über die thermische Temperaturschichtung in Bergtälern. 33-47

Nagy L: Angaben zu den Strahlungsverhältnissen des Waldes. 49-58

Boros J, Suhai F: Angaben über Bodentemperaturen in Baumwolle- und Hanf-Beständen. 59-72

Bárány I, Vörös E, Wagner R: The influence of the wind conditions of the Hungarian Alföld on the geographical distribution of mills. 73-81

Kiss Á, Osváth P: Zusammenhang des Auftretens der asthmatischen Anfälle im Kindesalter mit den Mondphasen. 83-88

Sindely P: Unmittelbare Bestrahlung von Gassenfronten bei verschiedener Bebauungsdichte. 89-90

TOMUS X. (1971)

- Novák Á: The place of meteorology in the educational activity of Szeged University from 1921 to 1971. 3-15
- Béll B: Über die Windverhältnisse der unteren Troposphäre in Szeged. 17-38
- Péczely Gy: Gestaltung der Niederschlagszuversicht im Einzugsgebiet der Donau. 39-45
- Boros J: Angaben zur Bodentemperatur E- und W-exponierter Hänge. 47-56
- Bárány I: Contribution to the climatological study of rice – growing in the region of Szeged. 57-68
- Précsényi I: Relationschip among the dry matter production of natural plant communities and waether elements. 69-75

TOMUS XI. (1972)

- Béll B: In memoriam Prof. R. Wagner. 3-18
- Obrebska-Starkel B: Beitrag zur Methode der Aussonderung meso- und mikroklimatischer Einheiten in Gebirgen. 19-28
- Juhász J, Dzubay M: The distribution of precipitation and soil amelioration with artificial materials. 29-45
- Bárány I, Boros J: Temperature conditions in the microclimate of a rice crop. 47-67
- Kiss Á: Zum Problem der kürzesten Dämmerung. 69-76

TOMUS XII. (1973)

- Péczely G: Precipitation patterns of our planet. 3-17
- Kiss Á, Károssy Cs: Charakteristiken der Tagesschwankung der Temperatur auf dem südlichen Teil der Ungarischen Tiefebene. 19-46
- Juhász J, Dzubay M: The soil conditions of the physical landscapes of the southern Great Plain with special regard to the possibilities of soil amelioration. 47-60
- Boros J, Bárány I: Data concerning maximum temperatures in variously fertilized rice crops. 61-74

TOMUS XIII. (1974)

- Péczely G: A Statistical investigation on the secular precipitation series of Hungary. 3-14
- Oross G, Vas Z: An analysis of the water supplies of the water system Danube-Tisza. 15-24

Fekete L, Szepesi K: A statistical analysis of the length of rainy periods and their quantity of precipitation. 25-40

Boros J, Bárány I: Contribution to the knowledge of atmospheric humidity conditions in rice crops subjected to various treatments. 41-50

Kiss Á, Károssy Cs: Statistische und makrosynoptische Analyse der Tagesschwankung der Temperatur. 51-86

TOMUS XIV-XV. (1977)

Péczely G: Conservation probabilities of the temperature anomalies of subsequent months in the North-Atlantic-European Area. 3-14

Herendi I: Investigations on the distribution of days required to attain cumulative precipitation amounts. 15-35

Kiss Á: Relation between nebulosity and diurnal temperature amplitude. 37-50

Juhász J, Károssy Cs, Kiss Á: Data concerning the soil temperature conditions of rice stand with flooding water cover different depths. 51-68

Dzubay M, Juhász J: Data concerning the influence of climate and human activity on the dynamics of salts in the eigion east of the River Tisza. 69-78

TOMUS XVI-XVII. (1980)

Péczely G: Temporal variability of monthly mean pressure values on the Earth. 3-10

Bartholy J, Gulyás O: A method of analysing macrosynoptic types using analogy indices. 11-17

Makra L: Large scale weather situations in Hungary and the periodical components of their time array. 19-43

Károssy Cs: Datas concerning the sphere of agrometeorological informations obtainable from the examination of the statistical structure of local temperature extremities. 45-77

Pelle L: The territorial structure of certain statistical characteristics of the European temperature field. 79-87

Péczely G, Makra L: Winter and summer temperature periodicities in Budapest. 89-93

TOMUS XVIII-XX. (1985)

- Péczely G: The global system of water vapour quantity in the atmosphere and its yearly alteration. 3-9
- Bartholy J, Gulyás O: Expansion of meteorological fields by macrosynoptic average fields. 11-23
- Koppány G: Climatic research and the weather-forecasts. 25-29
- Makra L: Supplements to the categories of contemporaneous temperature and precipitation anomalies in Hungary and to their statistic analysis. 31-41
- Pelle L: The information content of the temperature field of the northern hemisphere and the mean monthly temperatures at Szeged. 43-51
- Palotás Y, Makra L: Relationship of the wheat-production to the oecological potencial in the Southern Plain, Hungary. 53-64
- Makra L, Kiss Á, Palotás Y: The spatial and temporal variability of drought in the southern part of the Great Hungarian Plain. 65-85
- Dzubay M, Juhász J: On the analysis of salt dinamics above the critical ground water level. 87-96
- Roncz B: The altitude system of rainfall in the Mátra Hills. 97-108
- Sindely P: The homogenous temperature series at Szeged for 110 years (1871-1980). 109-124

TOMUS XXI-XXIII. (1989)

- Koppány G, Kiss A: The variability of the temperature and the wind direction at Szeged in various large scale pattern. 3-22
- Bartholy J: Determination of seasonal macrosynoptic types using cluster analysis and rotated EOF analysis. 23-31
- Koppány G: Isochrones of the wettest months in continental areas. 33-49
- Makra L: Cycles and quasi-periodicities in the global distribution of sea-level pressure. 51-66
- Tózsa I, Pelle L: Solar energy mapping. 67-71
- Szentpéteri M: Comparing the annual course of thunderstorm frequency in Hungary with data obtained a hundredfold years ago. 73-78
- Péter P: The first two years of hail-prevention in Bács-Kiskun County. 79-94
- Mika J: Decision strategies based on forecasts of alternative Weather States. 95-105

TOMUS XXIV-XXVI. (1992)

- Lukács B: On Heat Death in past, present or future. 3-22
- Koppány G: Temperature variations in Europe and North America since the beginning of instrumental Observations. 23-32
- Makra L: Correlation functions of the sea-level pressure field. 33-48
- Unger J: The seasonal system of urban temperature surplus in Szeged. 49-57
- Koppány G, Unger J: Mediterranean climatic character in the annual march of precipitation 59-71

TOMUS XXVII. (1993)

- Bérczi Sz: Preparations for the measurements of gas-hydrate crystal clouds in the outher solar system. 5-16
- Koppány G: Various types of changes in climatic series of Budapest and Szeged.
Comparison with remote climatic stations. 17-25
- Koppány G, Unger J: The tendencies of the Mediterranean climatic character in Hungary.
27-31
- Unger J: The urban influence on the diurnal and annual patterns of absolute humidity in Szeged, Hungary. 33-39

TOMUS XXVIII-XXIX. (1995)

- Bérczi Sz, Lukács B: Solvent liquids on planets. 5-22
- Urdea P, Sarbovan C: Some considerations concerning morphoclimatic conditions of the Romanian Carpathians. 23-40
- Pálffy E: Temperature inversion in the Csík Basin. 41-45
- Koppány G: Microclimate investigations in and near the forest of Ásotthalom. 47-52
- Koppány G, Makra L: Persistence probability of the drought index made by Pálffai for five regions of the Hungarian Great Plain. 53-61
- Unger J, Ondok J: Some features of urban influence on temperature extremities. 63-76

TOMUS XXX. (1996)

- Bérczi Sz, Lukács B: The water-ammonia symmetry of amino acids constraints on paleoatmospheres. 5-30
- Koppány Gy: Mutual evolution of terrestrial atmosphere and biosphere. 31-40
- Géczi R, Dormány G, Unger J: Some bioclimatic indicators of Kolozsvár (Cluj-Napoca), Romania. 41-48
- Károssy Cs, Nowinszky L, Puskás J, Makra L: Light trapping of harmful insects in Péczely's macrosynoptic weather situations. 49-60
- Kiss A: Some weather events from the 14th century. 61-69
- Koppány Gy, Kiss A: The mean daily rainfall in Szeged depending on winddirection and cloudiness (preliminary investigation). 71-79
- Nagwa AAKh, Koppány Gy, Makra L: Strong wind occurrences in Egypt during 1994. 81-88
- Sorocovschi V, Moldovan F: Some aspects of the wind in the northern area of the depression of Transsylvania. 89-98
- Unger J: The main result of the nearly 30-year-old urban climatological research in Szeged, Hungary. 99-112

TOMUS XXXI/A. (1997)

- Kuttler W: Climate and air hygiene investigaions for urban planning. 3-6
- Koppány Gy: The carbonic cycle in the Earth-atmosphere systems and the climate change. 7-15
- Puskás J, Nowinszky L, Makra L: The joint influence of meteorological events for light-trap collecting of harmful insects. 17-25
- Géczi R, Loerincz K: Model of spatial differentiation of temperature in Kolozsvár (Romania). 27-35
- Lukács B, Bérczi Sz: Some notes to the permotriassic climate implications from mammalogenesis. 37-50

TOMUS XXXI/B. URBAN CLIMATE SPECIAL ISSUE (1997)

- Unger J: Városklimatológia – Szeged városklímája. [Urban climatology – Urban climate of Szeged. (in Hungarian)] 1-69

TOMUS XXXII-XXXIII. (1999)

- Bárány-Kevei I: Preface. 1
- Bibliography of György Koppány. 3-17
- Bárány-Kevei I: Microclimate of karstic dolines. 19-27
- Horváth Sz, Makra L, Mika J: Spatial and temporal variations of the palmer drought severity index in South-East Hungary. 29-49
- Kiss A: Some weather events in the fourteenth century II. (angevin period: 1301-87). 51-64
- Makra L, Borbély-Kiss I, Koltay E, Sutikno: Analysis of elemental composition of atmospheric aerosol in Indonesia. 65-76
- Makra L, Borbély-Kiss I, Koltay E, Chen Y: Pixe analysis of atmospheric aerosol particles in northwestern China. 77-100
- Sümeghy Z, Danku Gy: Identifying an undescribed Danckerts atlas. 101-119

TOMUS XXXIV-XXXV. (2001)

- Unger J, Sümeghy Z, Mucsi L, Pál V, Kádár E, Kevei-Bárány I: Urban temperature excess as a function of urban parameters in Szeged, Part 1: Seasonal patterns. 5-14
- Unger J, Bottyán Z, Gulyás Á, Kevei-Bárány, I: Urban temperature excess as a function of urban parameters in Szeged, Part 2: Statistical model equations. 15-21
- Makra L, Horváth Sz, Zempléni A, Csiszár V, Fodré Zs, Bucsiné Kapoci I, Motika G, Sümeghy Z: Analysis of air quality parameters in Csongrád county. 23-44
- Szilassi P: Influence of weather – as changing part of landscape elements – on the touristical potentials of the Káli basin. 45-49
- Bérczi Sz, Lukács B: Existence, survival and recognition of icy meteories on Antarctica with respect to palaeotemperatures. 51-68
- Fogarasi S: Analysis of precipitation in Bakony mountains. 69-80
- Bárány-Kevei I, Goldie H, Hoyk E, Zseni A: Heavy metal content of some Hungarian and English karst soils. 81-92
- Rátkai Á, Sümeghy Z: Conditions of ethnic minorities in the South Plain Region. 93-107
- Liviu N, Dombay S: Hierarchical levels and settlement systems in the hill region from North-Western Romania (The hills of Silvania). 109-117

TOMUS XXXVI-XXXVII. (2003)

- Borsos E, Makra L, Béczi R, Vitányi B, Szentpéteri M: Anthropogenic air pollution in the ancient times. 5-15
- Bottyán Z, Balázs B, Gál T, Zboray Z: A statistical approach for estimating mean maximum urban temperature excess. 17-26
- Deák JÁ: Landscape changes of the Lódri-tó - Kisiván-szék - Subasa area in the Dorozsma-Majaian Sandlands. 27-36
- Gulyás Á, Unger J, Balázs B, Matzarakis A: Analysis of the bioclimatic conditions within different surface structures in a medium-sized city (Szeged, Hungary). 37-43
- Juhos I, Béczi R, Makra L: Comparison of artificial intelligence prediction techniques in NO and NO₂ concentrations' forecast. 45-55
- Kaszala R, Bárány-Kevei I, Polyák-Földi K: Heavy metal content of the vegetation on karstic soils. 57-62
- Kircsi A, Szegedi S: The development of the urban heat island studied on temperature profiles in Debrecen. 63-69
- Kürti L, Bárány-Kevei I: Landscape evaluation on sodic land of Pély at Hungary (ecotope-forming value). 71-78
- Lakatos L, Gulyás Á: Connection between phenological phases and urban heat island in Debrecen and Szeged, Hungary. 79-83
- Makra L, Mayer H, Béczi R, Borsos E: Evaluation of the air quality of Szeged with some assessment methods. 85-92
- Sümeghy Z, Unger J: Classification of the urban heat island patterns. 93-100
- Sümeghy Z, Unger J: Seasonal case studies on the urban temperature cross-section. 101-109
- Szegedi S, Kircsi A: Effects of the synoptic conditions in the development of the urban heat island in Debrecen, Hungary. 111-120
- Vitányi B, Makra L, Juhász M, Borsos E, Béczi R, Szentpéteri M: Ragweed pollen concentration in the function of meteorological elements in the south-eastern part of Hungary. 121-130

TOMUS XXXVIII-XXXIX. (2005)

- Balázs B, Gál T, Zboray Z, Sümeghy Z: Modelling the maximum development of urban heat island with the application of GIS based surface parameters in Szeged (Part 1): Temperature surveying and geoinformatical measurements methods. 5-16
- Bárány-Kevei I: Genetic types, human impact and protection of Hungarian Karsts. 17-23

- Charalampopoulos I, Chronopoulou A: Mapping the urban green area influence local climate under windless and light wind conditions. The case of western part of Athens, Greece. 25-31
- Deák JÁ: Landscape ecological researches in the Western Marosszög (Hungary). 33-46
- Duray B, Hegedüs Z: Geoeccological mapping in a Kis-sárrét study area. 47-57
- Gál T, Balázs B, Geiger J: Modelling the maximum development of urban heat island with the application of gis based surface parameters in Szeged (Part 2): stratified sampling and the statistical model. 59-69
- Gulyás Á: Differences in human comfort conditions within a complex urban environment: A case study. 71-84
- Horváth Sz, Makra L, Mika J: 20th century variations of the soil moisture content in East-Hungary. 85-95
- Kiss A, Sümeghy Z, Czinege A, Karancsi Z: Wine and land use in Nagymaros, Northern Hungary: A case study from the Danube bend. 97-109
- Kiss A, Barta K, Sümeghy Z, Czinege A: Historical land use and anthropogenic features: A case study from Nagymaros. 111-124
- Kiss G, Makra L, Mika J, Borsos E, Motika G: Temporal characteristics of air pollutant concentrations in Szeged, Hungary. 125-133
- Szőke E: Research on the heavy metal pollution of some cave waters of the karsts of Aggtelek from 2000 until now. 135-142
- Tanács E: The role of forest in the karstecosystem. 143-155
- Zboray Z, Bárány-Kevei I, Tanács E: Defining the corrosion surface of the dolines by means of a digital elevation model. 157-162
- Zboray Z, Tanács E: An investigation of the growth types of vegetation in the Bükk Mountains by the comparison of digital surface models. 163-169
- Kürti L: Some karst spring analysis at the piedmont of Bükk Mountains. 171-180

TOMUS XL-XLI. (2007)

- Balázs B, Geiger J, Sümeghy Z: Annual mean urban heat island versus 2D surface parameters: modelling, validation and extension. 5-15
- Gál T, Rzepa M, Gromek B, Unger J: Comparison between sky view factor values computed by two different methods in an urban environment. 17-26
- Gál T, Sümeghy Z: Mapping the roughness parameters in a large urban area for urban climate applications. 27-36
- Gulyás A, Matzarakis A: Selected examples of bioclimatic analysis applying the physiologically equivalent temperature in Hungary. 37-46

- Kántor N, Unger J, Gulyás Á: Human bioclimatological evaluation with objective and subjective approaches on the thermal conditions of a square in the centre of Szeged. 47-58
- Makra L, Kővágó T, Olivie D: Global surface temperature time series characteristics for the earth, in relation to CO₂ perturbations. 59-67
- Makra L, Pálfi S: Intra-regional and long-range ragweed pollen transport over southern Hungary. 69-77
- Makra L, Sümeghy Z: Objective analysis and ranking of Hungarian cities, with different classification techniques, part 1: methodology. 79-89
- Makra L, Sümeghy Z: Objective analysis and ranking of Hungarian cities, with different classification techniques, part 2: analysis. 91-100
- Rózsavölgyi K: A newly developed model for the spatial allocation of wind energy utilization. 101-109
- Stewart ID: Landscape representation and the urban-rural dichotomy in empirical urban heat island literature, 1950-2006. 111-121
- Tanács E, Samu A, Bárány-Kevei I: Forest structure studies in Aggtelek National Park (Hungary). 123-133
- Tombácz Sz, Makra L, Bálint B, Motika G, Hirsch T: The relation of meteorological elements and biological and chemical air pollutants to respiratory diseases. 135-146
- Tóth T, Szegedi S: Anthropogeomorphologic impacts of onshore and offshore windfarms 147-154
- Unger J, Makra L: Urban-rural difference in the heating demand as a consequence of the heat island. 155-162
- Vámoss T, Bárány-Kevei I: Land use changes in Ópusztaszer. 163-167
- Zsákovics G, Kovács F, Kiss A, Pócsik E: Risk analysis of the aridification-endangered sand-ridge area in the Danube-Tiszinterfluve. 169-178
- Eötvös T: Description of the effects of chemical and biological air pollutants by means of air quality indices. 179-185

TOMUS XLII-XLIII. (2009)

- Bárány-Kevei I: Foreword. 5-6
- Bartholy J, Pongrácz R, Lelovics E, Dezső Zs: Comparison of urban heat island effect using ground-based and satellite measurements. 7-15
- Bednorz E: Snow cover occurrence in central European lowlands under Northern Hemisphere circulation patterns. 17-28

- Égerházi L, Kántor N, Gulyás Á: Investigation of human thermal comfort by observing the utilization of open air terraces in catering places – A case study in Szeged. 29-37
- Eötvös T, Tombácz Sz, Gál A, Sümeghy Z, Makra L: Air quality indices as tools for estimating air pollution in Szeged, Southern Hungary. 39-47
- Hegedűs Z, Duray B: Landscape changes along the Tisza river in the South Tisza region of Hódmezővásárhely. 49-56
- Kántor N, Égerházi L, Gulyás Á, Unger J: Attendence of a green area in Szeged according to the thermal comfort conditions. 57-66
- Kiss M, Deák JÁ, Bárány-Kevei I: Complex landscape ecotone analysis on the borderline region of two landscapes in the South Great Plain (Hungary). 67-77
- Makra L, Puskás TM, Tanács E: A commemoration of György Péczely late chairholder Professor of the Department of Climatology, József Attila University at the 80th jubilee of his birth and the 25th jubilee of his death 79-95
- Makra L, Sánta T, Matyasovszky I: Long-range transport of PM₁₀, Part 1. 97-106
- Makra L, Sánta T, Matyasovszky I: Long-range transport of PM₁₀, Part 2. 107-119
- Samu A, Bárány-Kevei I: Characterization and changes in the state of the lakes in the field of Aggtelek and Slovak Karst. 121-129
- Sümeghy Z: Influence of different factors on relative air humidity in Szeged, Hungary. 131-141
- Szabó L: Cave area of the Canin-plateau – A naturally geodiverse land in the middle of Europe. 143-150
- Szegedi S, Gyarmati R: Impacts of urban green spaces on the spatial structure of the urban heat island in Debrecen and different sized settlements in its neighbourhood. 151-158
- Tombácz Sz, Eötvös T, Makra L: Environmental and social conditions of asthma and rhinitis. 159-173
- Contents of Acta Climatologica (1959-2009). 175-186
- Authors of Acta Climatologica (1959-2009) 187-192